

**Journal Citation Reports, Science Edition 2009: Electrical & Electronics Engineering Category, Ranked by Impact Factor**

<b>IF Rank 2009</b>	<b>Abbreviated Journal Title</b>	<b>ISSN</b>	<b>2009 Total Cites</b>	<b>Impact Factor (IF)</b>	<b>5-Year Impact Factor</b>	<b>Immediacy Index</b>	<b>2009 Articles</b>	<b>Cited Half-Life</b>	<b>Eigenfactor Score*</b>	<b>Article Influence Score**</b>
1	IEEE SIGNAL PROC MAG	1053-5888	3,176	4.914	5.959	0.500	54	5.9	0.01380	2.477
2	P IEEE	0018-9219	17,919	4.878	6.039	0.752	129	>10.0	0.03257	2.405
3	IEEE T IND ELECTRON	0278-0046	10,306	4.678	4.535	0.335	505	4.3	0.01968	0.707
4	IEEE T PATTERN ANAL	0162-8828	22,851	4.378	6.424	0.536	183	9.7	0.04270	2.313
5	PROG QUANT ELECTRON	0079-6727	619	4.091	4.906	1.000	6	>10.0	0.00141	2.111
6	PROG ELECTROMAGN RES	1559-8985	3,198	3.763		1.037	269	2.1	0.00843	
7	IEEE J SEL AREA COMM	0733-8716	11,664	3.758	4.626	0.296	142	7.7	0.04212	2.185
8	IEEE T SOFTWARE ENG	0098-5589	5,738	3.750	4.865	0.240	50	>10.0	0.00830	1.339
9	IEEE T MED IMAGING	0278-0062	9,957	3.540	4.400	0.404	183	8.1	0.02055	1.355
10	IEEE T FUZZY SYST	1063-6706	5,961	3.343	4.657	0.365	115	7.8	0.00949	1.027
11	IEEE J SOLID-ST CIRC	0018-9200	13,567	3.151	3.856	0.266	320	7.2	0.04755	1.596
12	IEEE INTELL SYST	1541-1672	2,214	3.144	3.594	0.333	33	6.5	0.00447	0.763
13	IEEE PERVAS COMPUT	1536-1268	1,363	3.079	4.395	0.212	33	5	0.00526	1.26
14	IEEE J SEL TOP QUANT	1077-260X	5,719	3.064	3.137	0.576	205	5.9	0.02609	1.408
15	IEEE T POWER ELECTR	0885-8993	7,168	2.929	3.258	0.173	300	5.7	0.01491	0.625
16	EXPERT SYST APPL	0957-4174	5,421	2.908	3.162	0.394	1385	3	0.00991	0.403
17	IEEE T NEURAL NETWORKS	1045-9227	10,563	2.889	3.902	0.252	159	9	0.01619	0.999
18	IEEE T IMAGE PROCESS	1057-7149	11,472	2.848	4.139	0.248	214	7.6	0.03241	1.412
19	IEEE T ENERGY CONVER	0885-8969	4,146	2.635	3.326	0.147	109	6.6	0.01218	1.04
20	AUTOMATICA	0005-1098	13,023	2.631	3.496	0.348	402	8.2	0.03494	1.279
21	IEEE ELECTR DEVICE L	0741-3106	7,681	2.605	2.740	0.409	416	5.4	0.03806	1.219
22	IEEE T AUTOMAT CONTR	0018-9286	22,915	2.556	4.108	0.222	365	>10.0	0.04567	1.56
23	PATTERN RECOGN	0031-3203	11,703	2.554	3.453	0.365	299	7.3	0.02651	0.988
24	IEEE T CIRC SYST VID	1051-8215	5,375	2.548	3.187	0.076	185	6.3	0.01519	0.959
25	IEEE COMMUN MAG	0163-6804	6,583	2.446	3.293	0.254	181	6.9	0.02283	1.285
26	IEEE T ELECTRON DEV	0018-9383	14,135	2.445	2.562	0.342	421	8	0.04509	1.057
27	IEEE WIREL COMMUN	1536-1284	1,787	2.394	4.534	0.127	55	4.8	0.00937	1.518
28	IEEE T INFORM THEORY	0018-9448	25,950	2.357	3.936	0.359	429	9.3	0.07552	1.788
29	IEEE T INF FOREN SEC	1556-6013	540	2.338	2.856	0.136	81	2.7	0.00315	0.834
30	IEEE-ASME T MECH	1083-4435	1,907	2.331	2.415	0.222	72	6.1	0.00495	0.623
31	J CRYPTOL	0933-2790	1,046	2.297	3.071	0.100	20	>10.0	0.00157	0.894
32	IEEE T KNOWL DATA EN	1041-4347	4,262	2.285	3.691	0.286	126	5.6	0.01450	1.109
33	IEEE T BROADCAST	0018-9316	1,317	2.242	2.240	0.241	87	4.6	0.00378	0.495
34	IEEE T GEOSCI REMOTE	0196-2892	11,678	2.234	2.705	0.320	366	7.2	0.02816	0.824
35	IEEE T SIGNAL PROCES	1053-587X	15,879	2.212	2.954	0.316	431	7.2	0.04711	1.042
36	J LIGHTWAVE TECHNOL	0733-8724	12,227	2.185	2.598	0.226	660	6.3	0.04199	0.909

<i>IF Rank 2009</i>	<i>Abbreviated Journal Title</i>	<i>ISSN</i>	<i>2009 Total Cites</i>	<i>Impact Factor (IF)</i>	<i>5-Year Impact Factor</i>	<i>Immediacy Index</i>	<i>2009 Articles</i>	<i>Cited Half-Life</i>	<i>Eigenfactor Score*</i>	<i>Article Influence Score**</i>
37	IEEE NETWORK	0890-8044	1,653	2.148	3.529	0.265	34	7.2	0.00520	1.332
38	IEEE T INTELL TRANSP	1524-9050	1,021	2.092	2.873	0.062	64	4.6	0.00327	0.64
39	IEEE T MICROW THEORY	0018-9480	14,800	2.076	2.620	0.260	385	8.6	0.05099	1.218
40	IEEE ACM T NETWORK	1063-6692	5,263	2.051	3.322	0.185	151	7.7	0.01447	1.29
41	IEEE T ANTENN PROPAG	0018-926X	14,253	2.011	2.244	0.213	508	8.8	0.03679	0.74
42	INT J CIRC THEOR APP	0098-9886	727	2.011	1.831	0.085	59	6.1	0.00137	0.336
43	J MICROMECH MICROENG	0960-1317	6,725	1.997	2.473	0.279	373	4.7	0.02871	0.769
44	IEEE J QUANTUM ELECT	0018-9197	9,834	1.968	2.013	0.396	187	>10.0	0.01434	0.788
45	IEEE T DEVICE MAT RE	1530-4388	962	1.947	2.133	0.221	68	4.3	0.00727	0.891
46	CONTROL ENG PRACT	0967-0661	2,883	1.943	1.977	0.306	134	6.5	0.00672	0.52
47	IEEE T POWER SYST	0885-8950	10,890	1.938	2.992	0.134	209	9	0.01930	0.772
48	J DISP TECHNOL	1551-319X	424	1.928		0.319	72	2.7	0.00338	
49	J MICROELECTROMECH S	1057-7157	4,714	1.922	2.790	0.234	145	6.4	0.01710	1.074
50	IEEE MICROW WIREL CO	1531-1309	3,341	1.913	1.998	0.270	274	4	0.02731	1.019
51	INT J ROBUST NONLIN	1049-8923	1,577	1.906	1.979	0.240	96	6.9	0.00556	0.801
52	IEEE T WIREL COMMUN	1536-1276	6,721	1.903	2.570	0.169	712	3.9	0.04547	1.008
53	IEEE POWER ENERGY M	1540-7977	393	1.867		0.500	36	3.8	0.00365	
54	IEEE T CONTR SYST T	1063-6536	3,271	1.858	2.449	0.186	140	7	0.00936	0.795
55	IEEE T COMPUT	0018-9340	9,089	1.822	2.745	0.256	133	>10.0	0.01454	1.014
56	IEEE PHOTONIC TECH L	1041-1135	13,103	1.815	1.776	0.346	546	5.4	0.05258	0.63
57	IEEE T ULTRASON FERR	0885-3010	6,079	1.800	2.061	0.265	294	7.1	0.01594	0.609
58	IEEE DES TEST COMPUT	0740-7475	1,250	1.798	2.723	0.082	49	6.4	0.00413	0.93
59	IEEE T AUDIO SPEECH	1558-7916	1,100	1.782	1.946	0.132	129	2.8	0.00622	0.537
60	IEEE IND ELECTRON M	1932-4529	62	1.750	1.750	0.235	17		0.00042	0.633
61	IEEE T BIOMED CIRC S	1932-4545	98	1.741	1.741	0.087	46		0.00098	0.872
62	IEEE T PARALL DISTR	1045-9219	3,041	1.733	2.203	0.206	136	7.2	0.00807	0.695
63	IET CONTROL THEORY A	1751-8644	548	1.717	1.720	0.120	150	2.3	0.00332	0.518
63	COMPUT VIS IMAGE UND	1077-3142	2,369	1.676	2.176	0.084	95	8.4	0.00660	0.846
65	SENSOR ACTUAT A-PHYS	0924-4247	9,492	1.674	1.737	0.199	337	6.6	0.02981	0.58
66	IEEE T NANOTECHNOL	1536-125X	1,574	1.671	2.190	0.433	97	4.3	0.00934	0.887
67	INT J ELEC POWER	0142-0615	1,156	1.613	1.466	0.062	80	5.6	0.00364	0.421
68	IEEE T NUCL SCI	0018-9499	9,758	1.591	1.595	0.172	545	7	0.02006	0.366
69	IEEE SENS J	1530-437X	2,315	1.581	1.685	0.145	249	3.9	0.01224	0.566
70	J ELECTROMAGNET WAVE	0920-5071	1,835	1.551	1.377	0.238	248	3.4	0.00549	0.293
71	NETWORK-COMP NEURAL	0954-898X	792	1.536	2.049	0.000	11	8.9	0.00148	0.864
72	IEEE T COMMUN	0090-6778	14,477	1.512	2.549	0.173	469	9.9	0.03003	1.075
73	SOLID STATE ELECTRON	0038-1101	5,501	1.494	1.452	0.206	223	7.8	0.01733	0.578

<i>IF Rank 2009</i>	<i>Abbreviated Journal Title</i>	<i>ISSN</i>	<i>2009 Total Cites</i>	<i>Impact Factor (IF)</i>	<i>5-Year Impact Factor</i>	<i>Immediacy Index</i>	<i>2009 Articles</i>	<i>Cited Half-Life</i>	<i>Eigenfactor Score*</i>	<i>Article Influence Score**</i>
74	IEEE T VEH TECHNOL	0018-9545	5,789	1.488	2.006	0.156	507	7.3	0.01863	0.709
75	MICROELECTRON ENG	0167-9317	5,616	1.488	1.456	0.291	556	4.4	0.02469	0.49
76	IMAGE VISION COMPUT	0262-8856	2,926	1.474	1.767	0.286	161	6.7	0.00786	0.593
77	J VAC SCI TECHNOL B	1071-1023	10,072	1.460	1.331	0.165	619	8	0.02745	0.477
78	ENG APPL ARTIF INTEL	0952-1976	1,483	1.444	1.800	0.234	124	5.4	0.00438	0.46
79	J ELECTRON MATER	0361-5235	4,860	1.428	1.592	0.227	387	6.7	0.01287	0.47
80	IEEE T CIRCUITS-I	1549-8328	6,707	1.420	2.106	0.086	232	7.1	0.02584	0.932
81	J ELECTROSTAT	0304-3886	1,975	1.384	1.472	0.143	147	7.8	0.00489	0.481
82	IEEE GEOSCI REMOTE S	1545-598X	979	1.379		0.160	175	3.1	0.00798	
83	INT J ADAPT CONTROL	0890-6327	671	1.347	1.478	0.091	55	6.5	0.00231	0.54
84	IEEE T RELIAB	0018-9529	2,569	1.331	1.830	0.116	69	>10.0	0.00413	0.601
85	IEEE T CIRCUITS-II	1549-7747	3,620	1.320	1.751	0.093	183	5.8	0.01830	0.832
86	DIGIT SIGNAL PROCESS	1051-2004	1,217	1.317	1.536	0.190	84	8.8	0.00268	0.459
87	IEEE T APPL SUPERCON	1051-8223	5,275	1.310	1.002	0.106	836	4.5	0.01415	0.214
88	IEEE ANTENN WIREL PR	1536-1225	1,586	1.300		0.123	341	3.9	0.01097	
89	IEEE T IND APPL	0093-9994	7,818	1.298	2.110	0.095	231	>10.0	0.01240	0.655
90	IEEE T ELECTROMAGN C	0018-9375	2,092	1.294	1.567	0.254	118	8.3	0.00470	0.46
91	ELECTR POW SYST RES	0378-7796	2,140	1.259	1.461	0.129	202	5.5	0.00739	0.446
92	IET RENEW POWER GEN	1752-1416	64	1.255	1.255	0.103	39		0.00031	0.32
92	SEMICONDR SCI TECH	0268-1242	4,920	1.253	1.449	0.209	278	6	0.01992	0.573
94	J POWER ELECTRON	1598-2092	256	1.238		0.180	100	3.2	0.00082	
95	IEEE T AERO ELEC SYS	0018-9251	4,565	1.230	1.776	0.095	126	>10.0	0.00686	0.562
96	IEEE T COMPUT AID D	0278-0070	4,011	1.230	1.631	0.099	161	7.8	0.00908	0.457
97	IET ELECTR POWER APP	1751-8660	173	1.212	1.212	0.123	57	2.4	0.00093	0.326
98	COMPUT NETW	1389-1286	3,615	1.201	1.610	0.096	197	6.7	0.01026	0.503
99	IEEE J-STSP	1932-4553	176	1.200		0.067	89	1.9	0.00153	
100	MECHATRONICS	0957-4158	1,214	1.198	1.655	0.160	131	6.6	0.00311	0.472
101	IEEE ANTENN PROPAG M	1045-9243	1,350	1.193	1.277	0.136	88	7.2	0.00406	0.504
102	IEEE SPECTRUM	0018-9235	1,091	1.176	1.225	0.153	59	8	0.00341	0.489
103	IEEE SIGNAL PROC LET	1070-9908	2,982	1.173	1.537	0.112	241	5.4	0.01382	0.589
104	OPTO-ELECTRON REV	1230-3402	409	1.168	1.027	0.250	52	4.5	0.00177	0.33
105	IEEE T POWER DELIVER	0885-8977	6,906	1.161	1.578	0.144	292	9	0.01341	0.422
106	IEEE CIRC SYST MAG	1531-636X	313	1.148	7.667	0.048	21	5.2	0.00190	3.376
107	SIGNAL PROCESS	0165-1684	3,980	1.135	1.283	0.261	261	7.7	0.01278	0.53
108	J FRANKLIN I	0016-0032	1,129	1.130	1.045	0.164	73	>10.0	0.00188	0.314
109	IEEE T ADV PACKAGING	1521-3323	1,141	1.122	1.482	0.132	91	5.4	0.00613	0.668
110	MICROELECTRON RELIAB	0026-2714	2,984	1.117	1.152	0.125	240	5.4	0.01035	0.349

<i>IF Rank 2009</i>	<i>Abbreviated Journal Title</i>	<i>ISSN</i>	<i>2009 Total Cites</i>	<i>Impact Factor (IF)</i>	<i>5-Year Impact Factor</i>	<i>Immediacy Index</i>	<i>2009 Articles</i>	<i>Cited Half-Life</i>	<i>Eigenfactor Score*</i>	<i>Article Influence Score**</i>
111	MATH CONTROL SIGNAL	0932-4194	593	1.111	1.475	0.091	11	>10.0	0.00132	1.07
112	IEEE J OCEANIC ENG	0364-9059	2,141	1.096	1.841	0.311	61	8.4	0.00641	0.802
113	WIREL NETW	1022-0038	1,314	1.088	1.784	0.089	79	7.2	0.00396	0.671
114	IET MICROW ANTENNA P	1751-8725	350	1.077	1.077	0.083	157	2.3	0.00341	0.526
115	IEEE T MAGN	0018-9464	15,429	1.061	1.176	0.146	1127	8.4	0.03487	0.357
116	J SOC INF DISPLAY	1071-0922	809	1.033		0.252	139	3.5	0.00348	
117	IEEE T INSTRUM MEAS	0018-9456	4,986	1.025	1.150	0.170	494	8.1	0.01135	0.333
118	MICROSYST TECHNOL	0946-7076	1,483	1.025	1.036	0.222	221	4.1	0.00604	0.313
119	J MATER SCI-MATER EL	0957-4522	1,778	1.020	1.097	0.284	292	4.6	0.00698	0.363
120	WIREL COMMUN MOB COM	1530-8669	1,904	1.016	2.069	0.103	126	6.8	0.00576	0.702
121	IEEE T VLSI SYST	1063-8210	2,149	1.010	1.497	0.092	173	6	0.00929	0.623
122	IEEE T SEMICONDUCT M	0894-6507	1,246	1.007	1.198	0.116	69	7.9	0.00321	0.436
123	IET OPTOELECTRON	1751-8768	93	0.989	0.989	0.154	39		0.00064	0.351
124	ELECTRON LETT	0013-5194	15,558	0.970	1.007	0.142	867	9.6	0.04299	0.434
125	IET COMPUT VIS	1751-9632	33	0.969	0.969	0.111	18		0.00030	0.448
126	MACH VISION APPL	0932-8092	574	0.952	1.152	0.162	37	8.1	0.00111	0.351
127	IEEE T COMPON PACK T	1521-3331	1,722	0.944	1.299	0.019	107	7.1	0.00501	0.464
128	IEEE T CONSUM ELECTR	0098-3063	2,597	0.942	1.173	0.059	341	5.8	0.00632	0.264
129	OPT FIBER TECHNOL	1068-5200	465	0.939	1.063	0.224	76	6.2	0.00139	0.35
130	COMPUT COMMUN	0140-3664	2,204	0.933	1.012	0.082	207	4.4	0.00712	0.249
131	IEEE MICROW MAG	1527-3342	478	0.896	1.444	0.288	52	5.5	0.00268	0.721
132	EURASIP J ADV SIG PR	1687-6172	1,776	0.885	1.074	0.073	193	4.3	0.01163	0.426
133	SIGNAL PROCESS-IMAGE	0923-5965	784	0.873	1.238	0.115	61	6.2	0.00277	0.446
134	IET GENER TRANSM DIS	1751-8687	179	0.856	0.856	0.062	96	2.2	0.00177	0.42
135	IEEE T DIELECT EL IN	1070-9878	2,037	0.848	1.082	0.143	224	6.7	0.00567	0.341
136	J NANOELECTRON OPTOE	1555-130X	87	0.844	0.956	0.026	38		0.00070	0.373
137	IEEE SYST J	1932-8184	55	0.825	0.825	0.062	48		0.00055	0.415
138	IEEE T EDUC	0018-9359	1,011	0.822	1.327	0.197	66	6.8	0.00138	0.205
139	ETRI J	1225-6463	600	0.814	0.846	0.214	131	3.9	0.00245	0.232
140	DISPLAYS	0141-9382	530	0.812	1.277	0.258	31	6.4	0.00175	0.446
141	CIRC SYST SIGNAL PR	0278-081X	346	0.794	0.728	0.018	57	6.3	0.00115	0.241
142	IET SIGNAL PROCESS	1751-9675	59	0.794	0.794	0.140	43		0.00040	0.302
143	QUANTUM ELECTRON+	1063-7818	2,264	0.791	0.726	0.145	172	10	0.00413	0.194
144	J ELECTRON PACKAGING	1043-7398	679	0.781	0.944	0.048	63	6.5	0.00234	0.345
145	MICROELECTRON J	0026-2692	1,628	0.778	0.812	0.267	337	4.3	0.00700	0.285
146	ACM J EMERG TECH COM	1550-4832	72	0.758		0.059	17		0.00073	
147	IET IMAGE PROCESS	1751-9659	54	0.758	0.773	0.103	29		0.00033	0.239

<i>IF Rank 2009</i>	<i>Abbreviated Journal Title</i>	<i>ISSN</i>	<i>2009 Total Cites</i>	<i>Impact Factor (IF)</i>	<i>5-Year Impact Factor</i>	<i>Immediacy Index</i>	<i>2009 Articles</i>	<i>Cited Half-Life</i>	<i>Eigenfactor Score*</i>	<i>Article Influence Score**</i>
148	IET COMMUN	1751-8628	265	0.751	0.754	0.125	184	2.1	0.00163	0.246
149	IEEE INSTRU MEAS MAG	1094-6969	218	0.738	0.736	0.250	32	5.3	0.00074	0.224
150	EURASIP J WIREL COMM	1687-1499	515	0.732		0.050	179	3.4	0.00448	
151	J VLSI SIG PROC SYST	0922-5773	444	0.732	0.661		0	7.2	0.00136	0.237
152	IEEE IND APPL MAG	1077-2618	455	0.727	0.684	0.109	46	7.5	0.00137	0.305
153	SOLDER SURF MT TECH	0954-0911	177	0.714	1.000	0.040	25	5.6	0.00062	0.318
154	IET SCI MEAS TECHNOL	1751-8822	85	0.706	0.706	0.119	42		0.00062	0.274
155	J SUPERCOMPUT	0920-8542	373	0.687	0.664	0.138	58	5.2	0.00149	0.222
156	MICROW OPT TECHN LET	0895-2477	4,141	0.682	0.614	0.151	845	4.5	0.01685	0.202
157	INTEGRATION	0167-9260	215	0.659	0.636	0.104	48	6	0.00111	0.328
158	OPT QUANT ELECTRON	0306-8919	1,109	0.657	0.681	0.150	20	8.7	0.00292	0.249
159	INT J IMAG SYST TECH	0899-9457	426	0.653	1.025	0.049	41	8.5	0.00169	0.499
160	IEEE ELECTR INSUL M	0883-7554	284	0.643	0.796	0.095	21	7.5	0.00091	0.385
161	MULTIMED TOOLS APPL	1380-7501	324	0.626	0.712	0.081	86	4.3	0.00123	0.191
162	RYNEK ENERGII	1425-5960	103	0.626		0.191	68	1.9	0.00004	
163	ELECTROMAGNETICS	0272-6343	296	0.612	0.565	0.022	46	8.4	0.00102	0.244
164	MICROELECTRON INT	1356-5362	120	0.588	0.658	0.080	25	4.6	0.00043	0.185
165	APPL ARTIF INTELL	0883-9514	621	0.580	0.965	0.111	45	8.7	0.00092	0.22
166	INT J INFRARED MILLI	0195-9271	696	0.576	0.444		0	7.1	0.00222	0.161
167	INT REV ELECTR ENG-I	1827-6660	208	0.570		0.235	170	1.8	0.00031	
168	IET CIRC DEVICE SYST	1751-858X	69	0.548	0.548	0.000	39		0.00033	0.127
169	J MICRO-NANOLITH MEM	1537-1646	93	0.541	0.541	0.164	128		0.00046	0.167
170	IEICE T ELECTRON	0916-8524	1,315	0.535	0.500	0.054	239	4.8	0.00822	0.248
171	J SIGNAL PROCESS SYS	1939-8018	77	0.533	0.578	0.151	93		0.00024	0.127
172	MULTIDIM SYST SIGN P	0923-6082	212	0.524	0.624	0.333	21	8.9	0.00061	0.316
173	MICROPROCESS MICROSY	0141-9331	303	0.516	0.558	0.022	46	7	0.00067	0.142
174	MICROWAVE J	0192-6225	443	0.512	0.321	0.027	73	8.7	0.00157	0.134
175	IEICE ELECTRON EXPR	1349-2543	296	0.510		0.074	269	2.7	0.00201	
176	ADV ELECTR COMPUT EN	1582-7445	47	0.509		0.118	51		0.00000	
177	AEU-INT J ELECTRON C	1434-8411	394	0.508	0.497	0.074	136	4.9	0.00110	0.121
178	CIRCUIT WORLD	0305-6120	113	0.500	0.427	0.043	23	6	0.00030	0.109
179	IEEE TECHNOL SOC MAG	0278-0097	122	0.488	0.779	0.000	27	5.1	0.00042	0.194
180	COMPUT ELECTR ENG	0045-7906	205	0.475	0.411	0.099	81	6.6	0.00041	0.104
181	J ELECTRON TEST	0923-8174	302	0.473	0.500	0.000	28	7.3	0.00089	0.19
182	COMPEL	0332-1649	364	0.460	0.435	0.055	128	4.8	0.00133	0.123
183	BELL LABS TECH J	1089-7089	509	0.456	0.459	0.086	58	>10.0	0.00080	0.127
184	J ELECTRON IMAGING	1017-9909	864	0.444	0.855	0.062	65	6.8	0.00300	0.333

<i>IF Rank 2009</i>	<i>Abbreviated Journal Title</i>	<i>ISSN</i>	<i>2009 Total Cites</i>	<i>Impact Factor (IF)</i>	<i>5-Year Impact Factor</i>	<i>Immediacy Index</i>	<i>2009 Articles</i>	<i>Cited Half-Life</i>	<i>Eigenfactor Score*</i>	<i>Article Influence Score**</i>
185	ELEKTRON ELEKTROTECH	1392-1215	247	0.439		0.107	196	2.5	0.00014	
186	INT J ELECTRON	0020-7217	915	0.430	0.585	0.057	105	>10.0	0.00106	0.135
187	BT TECHNOL J	1358-3948	347	0.411	0.655		0	5.7	0.00159	0.241
188	ANALOG INTEGR CIRC S	0925-1030	665	0.408	0.518	0.054	111	8.1	0.00205	0.192
189	INT J RF MICROW C E	1096-4290	239	0.405	0.425	0.064	78	5.5	0.00143	0.222
190	MAT SCI SEMICON PROC	1369-8001	767	0.388	0.981	0.000	24	4.4	0.00358	0.331
191	J HIGH SPEED NETW	0926-6801	239	0.379	0.442			>10.0	0.00024	0.123
192	IEEE AERO EL SYS MAG	0885-8985	400	0.374	0.637	0.013	75	5.5	0.00228	0.298
193	IEICE T FUND ELECTR	0916-8508	1,753	0.366	0.394	0.025	441	5.9	0.00558	0.119
194	IEEJ T ELECTR ELECTR	1931-4973	120	0.361	0.447	0.036	138	2.5	0.00074	0.138
195	IEICE T COMMUN	0916-8516	1,669	0.359	0.381	0.046	549	4.7	0.00599	0.108
196	EPE J	0939-8368	111	0.357		0.048	21	6	0.00026	
197	INT J OPTOMECHATRONI	1559-9612	17	0.354	0.354	0.000	20		0.00010	0.103
198	ELECTR POW COMPO SYS	1532-5008	274	0.349	0.428	0.046	87	4.4	0.00128	0.141
199	ELECTR ENG	0948-7921	138	0.333	0.339	0.028	36	4.2	0.00066	0.128
200	INTEGR FERROELECTR	1058-4587	753	0.329	0.329	0.014	71	6.8	0.00282	0.132
201	INT J SOFTW ENG KNOW	0218-1940	258	0.327	0.425	0.029	34	7.3	0.00059	0.117
202	EUR T ELECTR POWER	1430-144X	188	0.326	0.338	0.000	86	8.3	0.00064	0.149
203	INT J COMMUN SYST	1074-5351	210	0.317	0.421	0.024	82	4.8	0.00101	0.155
204	RADIOENGINEERING	1210-2512	99	0.312		0.074	95		0.00028	
205	SEMICONDUCT SEMIMET	0080-8784	516	0.312	0.634		0	>10.0	0.00030	0.354
206	CAN J ELECT COMPUT E	0840-8688	84	0.302	0.353	0.200	10		0.00022	0.079
207	J COMMUN TECHNOL EL+	1064-2269	703	0.280	0.235	0.057	175	>10.0	0.00103	0.055
208	SOLID STATE TECHNOL	0038-111X	379	0.275	0.223	0.062	48	>10.0	0.00071	0.081
209	J SYST ENG ELECTRON	1004-4132	195	0.269		0.000	196	3.1	0.00038	
210	J CIRCUIT SYST COMP	0218-1266	279	0.264	0.222	0.040	101	>10.0	0.00036	0.049
211	INT J NUMER MODEL EL	0894-3370	220	0.262	0.506	0.038	26	7.6	0.00083	0.243
212	ENRICH COMMUN	1960-7652	23	0.241	0.241	0.167	12		0.00012	0.065
213	INT J APPL ELECTROM	1383-5416	330	0.225	0.311	0.048	63	7.5	0.00103	0.108
214	J COMMUN NETW-UK	1477-4739	54	0.222	0.172		0		0.00022	0.056
215	FUJITSU SCI TECH J	0016-2523	106	0.220	0.221	0.036	56	4.8	0.00036	0.066
216	ENG INTELL SYST ELEC	1472-8915	70	0.205	0.198	0.000	10		0.00010	0.037
217	PRZ ELEKTROTECHNICZN	0033-2097	397	0.196		0.070	647	2.4	0.00026	
218	APPL COMPUT ELECTROM	1054-4887	106	0.188	0.185	0.053	57	6.8	0.00034	0.081
219	ELECTRON COMM JPN 1	8756-6621	63	0.188	0.114		0		0.00047	0.064
220	MICROLITHOGR WORLD	1074-407X	21	0.188	0.195		0		0.00016	0.093
221	ELECTRON COMM JPN 2	8756-663X	116	0.180	0.175		0	5.6	0.00056	0.075

<i>IF Rank 2009</i>	<i>Abbreviated Journal Title</i>	<i>ISSN</i>	<i>2009 Total Cites</i>	<i>Impact Factor (IF)</i>	<i>5-Year Impact Factor</i>	<i>Immediacy Index</i>	<i>2009 Articles</i>	<i>Cited Half-Life</i>	<i>Eigenfactor Score*</i>	<i>Article Influence Score**</i>
222	J ELECTR ENG-SLOVAK	1335-3632	121	0.175		0.017	60	4.9	0.00039	
223	FREQUENZ	0016-1136	128	0.165	0.201	0.020	51	6.7	0.00025	0.045
224	CHINESE J ELECTRON	1022-4653	205	0.156	0.157	0.013	156	4.6	0.00052	0.029
225	EDN	0012-7515	126	0.145	0.094	0.221	95	3.9	0.00015	0.011
226	NEC TECH J	1880-5884	63	0.144	0.211	0.048	21		0.00044	0.092
227	ELECTRON COMM JPN 3	1042-0967	84	0.141	0.088		0		0.00018	0.028
228	IETE J RES	0377-2063	47	0.132	0.101	0.000	41		0.00006	0.011
229	TRAIT SIGNAL	0765-0019	78	0.121		0.273	22		0.00025	
230	INT J ELEC ENG EDUC	0020-7209	95	0.106	0.169	0.045	22		0.00016	0.047
231	J I TELECOMMUN PROF	1755-9278	6	0.096		0.050	20		0.00002	
232	IETE TECH REV	0256-4602	31	0.075	0.066	0.023	43		0.00003	0.007
233	ELECTR ENG JPN	0424-7760	187	0.071	0.112	0.000	142	7.3	0.00063	0.043
234	J APPL RES TECHNOL	1665-6423	14	0.061		0.040	25		0.00006	
235	ELECTR COMMUN JPN	1942-9533	62	0.056	0.167	0.011	87		0.00016	0.104
236	INFORM MIDEM	0352-9045	29	0.052	0.066	0.000	9		0.00006	0.017
237	POWER ENGINEER	1479-8344	40	0.043	0.127		0		0.00021	0.045
238	MICROWAVES RF	0745-2993	100	0.040	0.043	0.033	122	>10.0	0.00018	0.018
239	ELECTRON WORLD	1365-4675	30	0.026	0.015	0.014	74		0.00003	0.003
240	CONTROL ENG	0010-8049	92	0.024	0.038	0.042	95		0.00024	0.021
241	EE-EVAL ENG	0149-0370	26	0.024	0.038	0.000	6		0.00008	0.009
242	CONNECTOR SPECIFIER	1078-1528	7	0.021	0.006	0.043	23		0.00000	0.001
243	REV ROUM SCI TECH-EL	0035-4066	45	0.010		0.048	42		0.00000	
244	ALCATEL TELECOMMUN R	1267-7167	20	0.000	0.050		0		0.00008	0.02
245	J INFRARED MILLIM TE	1866-6892	18			0.132	136		0.00000	